


CERTIFICATE

Certificate holder	Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell GERMANY
Production facility	Eberhardzell
Product	Thermal insulation products for buildings
Type, Model	FLEX 50
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
Mark of conformity	
Registration No.	011-7D010
Valid until	2022-06-30
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.



ANNEX

Page 1 of 1

Certificate	011-7D010 dated 2017-05-08
Technical Data	Designation code in accordance with DIN EN 13171: WF - EN 13171 - T2-TR1-AFr5-MU1/2 Declared thermal conductivity: 0,037 W/(m*K) Reaction to fire: Euroclass E Thickness: 40 mm - 240 mm
Testing laboratory/ Inspection body	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
Test report(s)	9023001-160226/Pp dated 2016-02-26 9023001-160226-3/Pp dated 2016-02-26 9023001-160921/Pp dated 2016-09-21

