


CERTIFICATE

Certificate holder	Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell GERMANY
Production facility	Eberhardzell
Product	Thermal insulation products for buildings
Type, Model	MULTITHERM 110
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
Mark of conformity	
Registration No.	011-7D009
Valid until	2022-06-30
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.

ANNEX

Page 1 of 1

Certificate

011-7D009 dated 2017-05-08

Technical Data

Designation code in accordance with DIN EN 13171:

WF - EN 13171 - T4-CS(10)50-TR10-WS1,0-AFr30-MU3

Declared thermal conductivity: 0,039 W/(m*K)

Reaction to fire: Euroclass E

Thickness: 40 mm - 240 mm

**Testing laboratory/
Inspection body**Materialprüfungsanstalt
Universität Stuttgart
Pfaffenwaldring 32
70569 Stuttgart
GERMANY**Test report(s)**9023001-160226/Pp dated 2016-02-26
9023001-160226-4/Pp dated 2016-02-26
9023001-160921/Pp dated 2016-09-21