


CERTIFICATE

Certificate holder	Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell GERMANY
Production facility	Eberhardzell
Product	Thermal insulation products for buildings
Type, Model	TOP 180
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
Mark of conformity	
Registration No.	011-7D007
Valid until	2022-06-30
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.



ANNEX

Page 1 of 1

Certificate

011-7D007 dated 2017-05-08

Technical Data

Designation code in accordance with DIN EN 13171:

WF - EN 13171 - T4-DS(70/-)2-CS(10)150-TR40-WS1,0-AFr100-MU3

Declared thermal conductivity: 0,043 W/(m*K)

Reaction to fire: Euroclass E

Thickness: 22 mm - 160 mm

**Testing laboratory/
Inspection body**Materialprüfungsanstalt
Universität Stuttgart
Pfaffenwaldring 32
70569 Stuttgart
GERMANY**Test report(s)**9023001-160226/Pp dated 2016-02-26
9023001-160226-6/Pp dated 2016-02-26
9023001-160921/Pp dated 2016-09-21