


CERTIFICATE

Certificate holder	Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell GERMANY
Production facility	Eberhardzell
Product	Thermal insulation products for buildings
Type, Model	TOP 140
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 Specific CEN KEYMARK scheme rules for thermal insulating products for buildings (2014-11)
Mark of conformity	
Registration No.	011-7D022
Valid until	2020-06-30
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

ANNEX

Certificate

011-7D022 dated 2017-03-07

Technical Data

Designation code in accordance with DIN EN 13171:

WF - EN 13171 - T4-DS(70/-)2-CS(10)100-TR20-WS1,0-AFr50-MU3

Declared thermal conductivity: 0,040 W/(m*K)

Reaction to fire: Euroclass E

Thickness: 100 mm - 240 mm

**Testing laboratory/
Inspection body**

Materialprüfungsanstalt
Universität Stuttgart
Pfaffenwaldring 32
70569 Stuttgart
GERMANY

Test report(s)

9023001-150304/Pp dated 2015-03-04
9023001-150630-3/Pp dated 2015-06-30
9023001-150630-6/Pp dated 2015-06-30
9023001-150630-8/Pp dated 2015-06-30
Confirmation dated 2015-10-05

9023001-160226/Pp dated 2016-02-26
9023001-160226-1/Pp dated 2016-02-26
9023001-160921/Pp dated 2016-09-21

