


# CERTIFICATE

<b>Certificate holder</b>	<b>Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell GERMANY</b>
<b>Production facility</b>	Eberhardzell
<b>Product</b>	Thermal insulation products for buildings
<b>Type, Model</b>	WALL 180
<b>Testing basis</b>	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7D008
<b>Valid until</b>	2022-06-30
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.



2017-05-08

Dipl.-Phys. Carlo Seiser  
Deputy Head of Certification Body

# ANNEX

Page 1 of 1

**Certificate**

011-7D008 dated 2017-05-08

**Technical Data**

Designation code in accordance with DIN EN 13171:

WF - EN 13171 - T4-DS(70/-)2-CS(10)150-TR40-BS550-SS25-WS1,0-AFr100-MU3

Declared thermal conductivity: 0,043 W/(m\*K)

Reaction to fire: Euroclass E

Thickness: 40 mm - 240 mm

**Testing laboratory/  
Inspection body**Materialprüfungsanstalt  
Universität Stuttgart  
Pfaffenwaldring 32  
70569 Stuttgart  
GERMANY**Test report(s)**9023001-160226/Pp dated 2016-02-26  
9023001-160226-2/Pp dated 2016-02-26  
9023001-160921/Pp dated 2016-09-21